

2011 Annual Self-Review

CERTIFIED CODING ASSOCIATE

CCA



2011 CCA Coding Self-Review

- How is "obesity hypoventilation syndrome" coded?
 - 278.03
 - 278.00, 786.09
 - 786.09
 - 327.26
- True or False? Code V66.7, Encounter for palliative care, may only be assigned as a first-listed/principal diagnosis.
 - True
 - False
- Assign the correct code(s) for a transbronchial needle aspiration (TBNA) of the mediastinal lymph node using a Wang needle.
 - 33.27
 - 33.24
 - 40.11
 - 40.11, 33.23
- Patient has end stage renal disease (ESRD), benign hypertension, and pulmonary hypertension. How is this coded?
 - 585.6, 401.9, 416.8
 - 403.11, 585.6, 416.8
 - 403.11, 416.8
 - 403.11
- Assign the appropriate code for influenza due to avian influenza virus with pneumonia.
 - 486
 - 488.02, 486
 - 488.01
 - 488.01, 486
- When may code 799.82, Apparent life-threatening event in infant (ALTE), be assigned as the principal diagnosis?
 - Code 799.82 should never be assigned as the principal diagnosis
 - Code 799.82 should always be assigned as the principal diagnosis
 - When no other diagnosis is documented
 - When it is documented first in the documentation
- In ICD-9-CM, the word "with" should be interpreted to mean which of the following?
 - "associated with"
 - "due to"
 - "and"
 - both a and b
- Patient with multiple myeloma was admitted to the hospital for management of a pathologic fracture of the proximal shaft of the femur that is causing a tremendous amount of pain. The patient underwent an intramedullary nail fixation of the left femur. What is the principal diagnosis?
 - Multiple myeloma
 - Pathologic fracture of femur
 - Pain management
 - Neoplasm-related pain
- Body mass index (BMI) code assignment may be based on medical record documentation from which of the following?
 - Physician
 - Nurse
 - Dietician
 - All of the above
- When reporting hospital and other inpatient visits Evaluation and Management (E/M) Services intraservice time is defined as:
 - face-to-face
 - unit/floor
 - non-face-to-face
 - both a and b
- Assign the appropriate code(s) to report a physician who performed skin ulcer debridement using a VersaJet. The total wound surface area is 16 square centimeters.
 - 11042
 - 11042, 97597
 - 97597
 - 97602

2011 CCA Coding Self-Review

12. Assign the correct code(s) for a left and right heart catheterization and left ventriculography.
 - a. 93453
 - b. 93453, 93565
 - c. 93458
 - d. 93459, 93565
13. Assign the appropriate code(s) for a transluminal peripheral percutaneous iliac artery atherectomy including radiological supervision and interpretation.
 - a. 34900, 75954
 - b. 37799
 - c. 0238T
 - d. 0255T
14. Assign the appropriate code for gastric intubation and aspiration to obtain a specimen for analysis.
 - a. 43752
 - b. 43753
 - c. 43754
 - d. 43755
15. Assign the appropriate CPT code for an unattended sleep study with simultaneously measuring and recording of the heart rate, oxygen saturation, respiratory analysis, and sleep time.
 - a. 95800
 - b. 95801
 - c. 95806
 - d. 95807
16. Assign the appropriate code for 10 hours of continuous holter monitor recording, scanning analysis with report, physician review and interpretation.
 - a. 93224
 - b. 93224-52
 - c. 93228
 - d. 93268-52
17. Assign the appropriate code for a patient who received a 24 hour electroencephalographic EEG with 16 or more channel telemetry at the hospital outpatient sleep-lab department. A sleep lab technologist is present to observe, evaluate, interpret the data throughout the recording time, and provide clinical findings.
 - a. 95951
 - b. 95953
 - c. 95955
 - d. 95956
18. Which of the following statement is false for coding lower extremity endovascular revascularization procedure codes 37220-37235?
 - a. Codes 37220-37235 describe therapies performed in the iliac, femoral/popliteal, and tibial/peroneal vascular territories.
 - b. When performed, balloon angioplasty is included in codes 37220-37235.
 - c. The iliac territory (Codes 37220-37223) is divided into two vessels: internal iliac and external iliac.
 - d. both b and c
19. Which of the following is true for coding Evaluation and Management (E/M) Services?
 - a. E/M codes (99291-99292) for critical care services allow facilities to report chest x-rays separately when provided in conjunction with critical care.
 - b. E/M codes (99281-99285) for emergency department services include a time component.
 - c. E/M codes (99381-99397) for preventive medicine services include ancillary laboratory or radiology services.
 - d. all of the above

2011 CCA Coding Self-Review

20. The present on admission (POA) indicator of "Y" should be assigned for which of the following conditions?
- For conditions that were diagnosed prior to admission
 - For conditions diagnosed during admission that were clearly present but not diagnosed until after admission occurred
 - Any condition that develops during an outpatient encounter prior to a written order for inpatient admission
 - All of the above
21. The new End Stage Renal Disease (ESRD) Prospective Payment System (PPS) went/will go into effect on:
- January 1, 2010
 - January 1, 2011
 - January 1, 2012
 - January 1, 2013
22. What is the appropriate E code for a fall from a motorized wheelchair?
- E888.9
 - E884.3
 - E884.9
 - E884.2
23. What is the final date for "limited" code updates to the ICD-9-CM code set?
- October 1, 2011
 - October 1, 2012
 - April 1, 2013
 - October 1, 2013
24. Which of the following is true regarding wound debridement coding in CPT?
- The depth is reported using the deepest level of tissue removed
 - In multiple wounds, sum the surface area of those wounds that are at the same depth
 - In multiple wounds, do not combine sums from different depths
 - All of the above are true regarding debridement coding
25. Assign the appropriated diagnostic code for posttransfusion purpura.
- 287.4
 - 287.41
 - 287.49
 - 287.5