

CERTIFIED CODING ASSOCIATE



2017
Annual
Self-Review

2017 CCA Coding Self-Review

1. A 60-year-old female was admitted to the hospital for an acute stroke. The NIHSS score was documented as 30. What is the correct code assignment?
 - a. I63.8
 - b. I63.9
 - c. I63.8, R29.730
 - d. I63.9, R29.730
2. This 30-year-old female was referred from an acute care hospital burn center post discharge to outpatient physical therapy for wound care for her burns. She had suffered third degree burns to both right and left lower leg and thigh as a result of ignition of gas when refueling her car. What is the correct code assignment?
 - a. T24.391A, T24.392A, X04.XXXA
 - b. T24.391A, T24.392A
 - c. T24.391D, T24.392D, X04.XXXA
 - d. T24.391D, T24.392D
3. What is the appropriate code assignment for anti-myelin-associated glycoprotein (anti-MAG) peripheral neuropathy?
 - a. G62.9
 - b. G62.0
 - c. G62.89
 - d. G62.81
4. This 40-year-old male is diagnosed as overdosing on crack cocaine. He is admitted to the hospital. What is the appropriate code assignment?
 - a. T40.5X1A
 - b. T40.5X2A
 - c. T40.5X4A
 - d. T40.5X5A
5. A patient was seen in the hospital for hepatic encephalopathy. How would this be coded?
 - a. K72.10
 - b. K72.00
 - c. K72.90
 - d. K72.91
6. This 75-year-old male was admitted with acute exacerbation of chronic obstructive pulmonary disease (COPD) and acute bronchitis. How would this be coded?
 - a. J44.0, J44.1, J20.9
 - b. J44.0, J20.9
 - c. J44.0, J44.1
 - d. J44.1, J20.9
7. An 80-year-old woman was admitted due to acute respiratory failure due to severe viral sepsis. How is this coded?
 - a. A41.89, R65.20, J96.00
 - b. A41.89, B97.89, R65.20, J96.00
 - c. A41.9, B97.89, R65.20, J96.00
 - d. A41.9, R65.20, J96.00
8. A 50-year-old female patient was seen for post-void micturition dribbling. How is this coded?
 - a. R39.198
 - b. R39.192
 - c. R39.12
 - d. R39.9

2017 CCA Coding Self-Review

9. What is the ICD-10-PCS code for monitoring of the right knee joint using an intraoperative knee replacement sensor?
- XR2H021
 - XR2G021
 - 4A11X4G
 - B41FY10
10. What is/are the ICD-10-PCS code(s) assigned when a PTCA is done of the left common femoral artery with a drug eluting stent, and a PTCA is done of the right femoral artery with a bare metal stent?
- 047K3Z1, 047L3D1
 - 067N4DZ, 067M4ZZ
 - 047L3Z1, 047K3D1
 - 067M4DZ, 067N4ZZ
11. What is the ICD-10-PCS code assigned for removal of a pacemaker generator from subcutaneous tissue of the chest wall?
- OJH608Z
 - OJH60PZ
 - OJWTOPZ
 - OJPTOPZ
12. Assign CPT code(s) for placement of a Miller-Abbott tube into the duodenum under fluoroscopic guidance.
- 44500
 - 43761
 - 44500, 74340
 - 43756
13. What are the vascular territories of the intracranial arteries?
- internal carotid and vertebro-basilar circulations
 - cerebral, vertebro-basilar and carotid circulations
 - left carotid, right carotid and vertebro-basilar circulations
 - cerebral, internal carotid and vertebro-basilar circulations
14. Assign CPT code(s) for an ultrasound of a shoulder joint that includes evaluation of the joint capsule and an evaluation of the bicep muscle on the same extremity.
- 76881, 76882
 - 76881
 - 76882, 76882
 - 76882
15. The removal of a transvenous electrode is attempted by transvenous extraction, but is unsuccessful and the physician decides not to attempt extraction again. This was done in the office and not under anesthesia. How is this reported?
- No code is reported
 - 33234
 - 33234-52
 - 33234-53
16. Assign the correct CPT code(s) for insertion of a leadless ventricular pacemaker with device evaluation.
- 0387T, 0391T
 - 0387T, 0390T
 - 0387T
 - 33206

2017 CCA Coding Self-Review

17. Physician A provided 50 minutes of critical care to a patient. Later the same day, Physician B provided 35 minutes of critical care to the same patient. Both physicians are hospital employees within the same group practice and are both internists with critical care training. What CPT code(s) does the facility report?
- 99291
 - 99292
 - 99291, 99292
 - 99233
18. Identify the false statement about collagen cross-linking of the cornea.
- Used to treat corneal ectasia or bulging
 - Uses ultraviolet-A (UV_A) light and a photosensitizer
 - Coded as 65435, 69990 and 76514
 - Includes corneal epithelium removal and intra-operative pachymetry
19. Assign the correct CPT code(s) for the electrofulguration of 10 neurofibromas on the face, 20 neurofibromas on the neck and 25 neurofibromas on the scalp.
- 64792
 - 64792, 64792, 64792
 - 0419T, 64792, 64792, 64792, 64792, 64792
 - 0419T
20. Assign the CPT code(s) for paravertebral blocks performed at T7, T9 and T12.
- 64479, 64480, 64480
 - 64461, 64462
 - 64461, 64462, 64462
 - 64461
21. Assign the correct CPT code(s) for an esophago-gastroduodenoscopy with endoscopic ultrasound examination of the esophagus and stomach.
- 43237
 - 43237, 43237
 - 43259
 - 43259-52
22. Significant new and revised hospital risk areas that OIG will focus on during fiscal year (FY) 2016 include the following:
- Medical device credits for replaced medical devices
 - Medicare payments during MS-DRG payment window
 - CMS validation of hospital-submitted quality reporting data
 - All the above
23. In calendar year (CY) 2016 CMS did not make any changes to the already established methodology of their Comprehensive APC (C-APC) policy.
- True
 - False
24. CMS created _____ new C-APCs for CY 2016.
- 2
 - 4
 - 10
 - 20
25. For FY 2016, the OIG will describe billing trends for the following devices from 2011-2014:
- Ventilators
 - Respiratory assist devices (RADs)
 - Continuous positive airway pressure (CPAP)
 - All the above